

FortiGate® Multi-Threat Security



Firewall • VPN • Antivirus • Intrusion Prevention • Antispam • Web Filtering • Traffic Shaping

MSSP AND LARGE ENTERPRISE SYSTEMS

Product (Chassis)	Firewall Throughput (512 Byte)	IPSec VPN Throughput	Concurrent Sessions	Sessions Per Sec	Antivirus Throughput	Intrusion Prevention Throughput	Number of VDOMs	Network Interfaces	Chassis Slots / Max # of Blades	Power Source	Recommended # of Blades	Max Fabric Blades
FortiGate-5140 Chassis	Up to 480 Gbps	Up to 204 Gbps	Up to 132 M	Up to 1152 K	Up to 18 Gbps	Up to 60 Gbps	Up to 3000	See modules below	14 / 14	DC / AC	12	2
FortiGate-5060 Chassis	Up to 240 Gbps	Up to 102 Gbps	Up to 66 M	Up to 576 K	Up to 9 Gbps	Up to 30 Gbps	Up to 1500	See modules below	6 / 6	DC / AC	6	2
FortiGate-5050 Chassis	Up to 110 Gbps	Up to 42.5 Gbps	Up to 10 M	Up to 250 K	Up to 2.5 Gbps	Up to 20 Gbps	Up to 1250	See modules below	5 / 5	DC / AC	5	2
FortiGate-5020 Chassis	Up to 44 Gbps	Up to 17 Gbps	Up to 4 M	Up to 100 K	Up to 1 Gbps	Up to 8 Gbps	Up to 500	See modules below	2 / 2	AC	2	0
FortiGate-5001B	40 Gbps	17 Gbps	11 M	96 K	1.5 Gbps	5 Gbps	Up to 250	8 10GbE SFP+ and 2 10/100/100 Port with 64GB local storage				
FortiGate-5001A-SW / DW (with AMC)	2 Gbps (13 / 22 Gbps)	800 Mbps (7 / 8.5 Gbps)	2 M	50 K	500 Mbps	2 Gbps (4 Gbps)	Up to 250	2 GbE 10/100/1000 port and Double- or Single-Width AMC slot. Supports 10GbE modules.				
FortiGate-5005FA2	5 Gbps	800 Mbps	1.2 M	30 K	300 Mbps	3 Gbps	Up to 250	6 GbE SFP ports and 2 FortiASIC-accelerated SFP ports				
FortiGate-5001SX and FortiGate-5001FA2	4 Gbps	600 Mbps	1.2 M	20 K	250 Mbps	2 Gbps	Up to 250	5001SX: 4-GbE SFP, 4-GbE 10/100/1000 5001FA2: 2 GbE SFP, 4 GbE 10/100/1000, and 2 FortiASIC-accelerated SFP ports				
FortiSwitch-5003B FortiSwitch-5003A FortiSwitch-5003 Switch Fabric Blades	FortiSwitch-5003B and FortiSwitch-5003A delivers high availability 10GbE switching for FortiGate-5140, -5060 and -5050 chassis. Each FortiGate-5001A requires a 10GbE Rear Transition Module (RTM) for switching across the backplane fabric. FortiSwitch-5003 delivers high availability switching across the high-speed chassis backplane fabric.							FortiSwitch-5003B : 9-10GbE SFP+, 2-GbE 10/100/100 (Mgmt) FortiSwitch-5003A : 9-10GbE SFP+, 2-GbE 10/100/100 (Mgmt) FortiSwitch-5003 : 3-GbE 10/100/1000, 1-GbE 10/100/1000 (Mgmt) RTM-XB2 or RTM-XD2: 10 GbE Rear Transition Module for FG-5000 Series				
FortiController-5208 Load Balancing Fabric	Delivers high-bandwidth load balancing for antivirus and intrusion prevention applications.							2-10GbE XFP, 8-GbE SFP, 1-GbE 10/100/1000 (Mgmt)				

ENTERPRISE APPLIANCES

Product	Firewall Throughput (512 Byte)	IPSec VPN Throughput	Concurrent Sessions	Sessions Per Sec	Antivirus Throughput	Intrusion Prevention Throughput	10/100 Interface	GbE Interface	SFP Interface	SFP+ (10GbE) Interface	Modular Expansion Slots	Base System Storage	Hot-Swappable Power Supplies	VDOMs (Max)
FortiGate-3950B / 3951B (with FMC)	20 Gbps (120/100 Gbps)	8 Gbps (48/40 Gbps)	10 M	175 K	1.5 Gbps	(12.5/10 Gbps)	0	2 (100/80)	4 (100/80)	2 (12/10)	5 / 4 FMC, 0 / 4 FSM	0 / 64 GB	Yes	Up to 250
FortiGate-3810A (with AMC)	7 Gbps (55 Gbps)	1 Gbps (23 Gbps)	2 M	40 K	500 Mbps	4 Gbps	0	8	2	0	2 SW and 2 DW AMC	0	Yes	Up to 250
FortiGate-3600A (with AMC)	6 Gbps (10 Gbps)	800 Mbps (3.8 Gbps)	1.1 M	40 K	400 Mbps	3 Gbps	0	8	2	0	1 SW AMC	0	Yes	Up to 250
FortiGate-3040B	40 Gbps	16 Gbps	4 M	100 K	1.2 Gbps	5 Gbps	0	2	10	8	4 FSM	64 GB	Yes	Up to 250
FortiGate-3016B (with AMC)	16 Gbps (20 Gbps)	12 Gbps (15 Gbps)	1.1 M	25K	300 Mbps	2 Gbps	0	2	16	0	1 SW AMC	0	Yes	Up to 250
FortiGate-1240B (with AMC)	40 Gbps (44 Gbps)	16 Gbps (18.5 Gbps)	2 M	100 K	900 Mbps	1.5 Gbps	0	16	24	0	1 SW AMC and 6 FSM	64 GB	Yes	Up to 25
FortiGate-800 / 800F	1 Gbps	200 Mbps	800 K	10 K	150 Mbps	600 Mbps	4	4 / 0 - 800F	0 / 4 - 800F	0	No	0	No	10
FortiGate-621B / 621B-DC	16 Gbps	12 Gbps	1 M	25 K	350 Mbps	1 Gbps	0	20	0	0	No	64 GB	Opt. Ext. Red. AC Power	10
FortiGate-620B / 620B-DC (with AMC)	16 Gbps (20 Gbps)	12 Gbps (15 Gbps)	1 M	25 K	350 Mbps	1 Gbps	0	20 (24)	0	0	1 SW AMC	0	Opt. Ext. Red. AC Power	10
FortiGate-310B / 310B-DC FortiGate-311B (with AMC)	8 Gbps (12 Gbps)	6 Gbps (9 Gbps)	600 K	20 K	160 Mbps	800 Mbps	0	10	0	0	1 SW AMC 2 FSM (311B)	1 x 64 GB (311B)	Yes Opt. (310B) Yes (311B)	10
FortiGate-200B / 200B-POE	5 Gbps	2.5 Gbps	500 K	15 K	95 Mbps	500 Mbps	8	8	0	0	1 FSM	0	No	10
FortiGate-224B / 200A	150 Mbps	70 Mbps	400 K	4 K	30 Mbps	100 Mbps	26 / 8	0 / 2	0	0	No	0	No	10

SMB/ROBO/SOHO APPLIANCES

Product	Firewall Throughput (512 Byte)	IPSec VPN Throughput	Concurrent Sessions	Sessions Per Sec	Antivirus Throughput	Intrusion Prevention Throughput	Switch/LAN Interfaces	WAN Interfaces	Wireless Interfaces	Other Interfaces	VDOMs (Max)
FortiGate-110C / 111C	500 Mbps	100 Mbps	400 K	10 K	65 Mbps	200 Mbps	8 FE	2 GbE	No	USB, COM, 64 GB SSD (111C)	10
FortiGate Voice-80C	500 Mbps	100 Mbps	400 K	10 K	65 Mbps	200 Mbps	8 FE	2 GbE	No	4 FXO, Concurrent Calls: 20	10
FortiWiFi Voice-80CS	500 Mbps	100 Mbps	400 K	10 K	65 Mbps	200 Mbps	6 / 1 FE DMZ	2 GbE	802.11 a/b/g/n	Concurrent Calls: 20	10
FortiGate-82C	350 Mbps	80 Mbps	100 K	5 K	50 Mbps	100 Mbps	0	4 GbE	No	1TB Storage & 3 open slots	10
FortiGate-80C / 80CM FortiWiFi-80CM / 81CM	350 Mbps	80 Mbps	100 K	5 K	50 Mbps	100 Mbps	6 / 1 FE DMZ	2 GbE	FW-80CM/ 81CM WiFi a/b/g/n	ExpressCard Slot, Modem (80/81CM), 32 GB SSD (81CM)	10
FortiGate-60C FortiWiFi-60C	1 Gbps	70 Mbps	80 K	3 K	20 Mbps	60 Mbps	5 GbE / 1 FE DMZ	2 FE	FW-60C a/b/g/n	ExpressCard Slot, 4 GB storage, 1 USB-A and 1 USB-B port, POE-Powered (FW-60C)	10
FortiGate-50B / 51B FortiWiFi-50B	50 Mbps	48 Mbps	25 K	2 K	19 Mbps	30 Mbps	3 FE	2 FE	FW-50B WiFi b/g	POE-Powered (FortiWiFi), USB, COM, 32GB SSD (51B)	10
FortiGate/WiFi-30B	30 Mbps	5 Mbps	5K	1K	5 Mbps	10 Mbps	3 / 4 FE	1 FE	FW-30B WiFi b/g	USB, COM	0

Expansion Modules

Advanced Mezzanine Card (AMC) Modules	[Double-Width (DW) Modules:] • ADM-XD4: 4-port 10GbE FortiASIC Module • ADM-XB2: 2-port 10GbE FortiASIC Module • ADM-XE2: 2-port 10GbE Security Processing Module • ADM-FB8: 8-port GbE FortiASIC Module • ADM-FE8: 8-port GbE Security Processing Module [Single-Width (SW) Modules:] • ASM-FB4: 4-port GbE FortiASIC Module • ASM-CE4: 4-port GbE Security Processing Module • ASM-S08: 80 GB Hard Disk Storage Module • ASM-CX4: 4-port GbE TX By-Pass Module • ASM-FX2: 2-port GbE SX By-Pass Module • ASM-ET4: 4-port T1/E1 WAN Module
Fortinet Mezzanine Card (FMC) Modules	• FMC-XD2: 2-port 10GbE Firewall Module • FMC-XG2: 2-port 10GbE IPS Module • FMC-C20: 20-port 1GbE Firewall Module with RJ45 interface • FMC-F20: 20-port 1GbE Firewall Module with SFP interface

MANAGEMENT, ANALYSIS, & REPORTING APPLIANCES												
PRODUCT	10/100/1000 Ethernet	10/100 Ethernet	Base System Storage Capacity	Administration Domain	Administrative Web Portals	Web Portal Users (Max)	Local Hosted Security Content	Hardware Form Factor	Network Devices (Max)	FortiClient Devices	Model Restrictions	Redundant Power
FortiManager-5001A	2	0	80 GB	100	100	4,000	AV, IPS, VM, WF, AS	ATCA Blade	4,000	100,000	None	Yes
FortiManager-3000C	4 and 2 SFP	0	2 TB	200	100	4,000	AV, IPS, VM, WF, AS	Rack Mount (2-RU)	5,000	120,000	None	Yes
FortiManager-1000C	4	0	1 TB	50	50	500	AV, IPS, VM, WF, AS	Rack Mount (1-RU)	800	25,000	FG-5000 Series	No
FortiManager-400B	4	0	500 GB	10	10	200	AV, IPS, VM	Rack Mount (1-RU)	200	10,000	FG-5000 Series	No
FortiManager-100C	2	1	1 TB	10	10	200	AV, IPS, VM	Desktop	20	2,500	FG-5000 Series	No
PRODUCT	10/100/1000 Ethernet	10/100 Ethernet	Base System Storage Capacity	Network Devices (Max)	FortiClient Agents (Max)	Centralized Quarantine	Number of Hard Drives	RAID Storage Management	Data Receive Rate	Log Perf. (Logs / Sec)	Recommended Device	Redundant Power
FortiAnalyzer-4000B	2 and 2 SFP	0	6 TB	2,000	No Restriction	Yes	6 (Plus 18 Optional)	0, 1, 5, 6, 10, 50, 60	24 Mbps	Up to 6,000	All Models	Yes
FortiAnalyzer-2000B	6	0	2 TB	2,000	No Restriction	Yes	2 (Plus 4 Optional)	0, 1, 5, 10, 50	12 Mbps	Up to 3,000	All Models	Yes
FortiAnalyzer-1000C	4	0	1 TB	2,000	No Restriction	Yes	1 (Plus 3 Optional)	Opt - 0, 1, 10	4 Mbps	Up to 1,000	All Models	No
FortiAnalyzer-400B	4	0	500 GB	200	2000	Yes	1 (Plus 1 Optional)	Opt - 0, 1	2 Mbps	Up to 500	All Models	No
FortiAnalyzer-100C	2	1	1 TB	100	100	Yes	1	N/A	800 Kbps	Up to 200	All Models	No
SECURE MESSAGING APPLIANCES												
PRODUCT	10/100/1000 Ethernet	10/100 Ethernet	Base System Storage Capacity	RAID Storage Management	Email Domains	Policies (Domain/Sys)	Server Mode Mailboxes	Hardware Form Factor	Profiles (Domain / Sys)	Email Routing (Mgs / Hr)	Antispam (Mgs / Hr)	Redundant Power
FortiMail-5001A	2	0	80 GB	N/A	10,000	1,500 / 7,500	3,000	ATCA Blade	50 / 600	1.4 Million	1.3 Million	Yes
FortiMail-3000C	4 and 2 SFP	0	2 x 1 TB	0, 1, 5, 10, 50	5,000	1,500 / 7,500	3,000	Rack Mount (2-RU)	50 / 600	1.3 Million	1.3 Million	Yes
FortiMail-2000B	6	0	2 x 1 TB	0, 1, 5, 10, 50	5,000	1,500 / 7,500	3,000	Rack Mount (2-RU)	50 / 600	1.1 Million	1.1 Million	Yes
FortiMail-400B	4	0	500 GB	Opt - 0,1	500	600 / 3,000	1,000	Rack Mount (1-RU)	50 / 200	264,600	234,000	No
FortiMail-100C	2	1	1 TB	N/A	50	60 / 300	200	Desktop	50 / 60	90,000	85,000	No
DATABASE and WEB SECURITY APPLIANCES												
PRODUCT	10/100/1000 Ethernet	# Database Instances	Base System Storage Capacity	Total Storage Capacity	Redundant Power	Database Support / Asset Agent Licenses					Repository Database Support	
FortiDB-2000B	4	60	1 TB	6 TB (Opt)	Yes	DB2 UDB V8, DB2 UDB V9; Microsoft SQL Server 2000, Microsoft SQL Server 2005; Oracle 8.1.6, Oracle 8.1.7.4, Oracle 9.2.0.x, Oracle 10.2.0.x, Oracle 11.1.0.x; Sybase ASE 12.5.4, Sybase ASE 15.0.2					Apache Derby 10.x, DB2 UDB v9, Microsoft SQL Server 2005, Oracle 10gR2, PostgreSQL 8.3	
FortiDB-1000C	4	30	1 TB	2 TB (Opt)	No							
FortiDB-400B	4	10	500 GB	1 TB (Opt)	No							
PRODUCT	10/100/1000 Ethernet	Throughput (HTTP)	Base System Storage Capacity	Total Storage Capacity	Redundant Power	Max HTTP Trans / sec	Comprehensive WAF and XML Security Features			Other Features		
FortiWeb-3000C	6	1 Gbps	2 TB	6 TB (Opt)	Yes	40,000	XML schema validation and expression limiting, WSDL Verification, Form Field Tampering Validation and others			SSL and XML encryption and co-processing, Content base Routing.		
FortiWeb-1000C	4	500 Mbps	1 TB	2 TB (Opt)	No	27,000						
FortiWeb-400B	4	100 Mbps	500 GB	1 TB (Opt)	No	10,000						
SWITCHING PLATFORMS												
PRODUCT	10/100/1000 Ethernet	10 GbE Ports	Throughput (Max)	PoE Ports	PoE Power Budget	MAC Address Storage	VLAN Supported	Link Agg Group Size	Total Link Agg Groups	Layer 2 / Layer 3 Switch	Switch Type	Redundant Power
FortiSwitch-248B	48	4 (SFP+)	176 Gbps	0	N/A	32,000	512	Up to 8 ports	8	Layer 2	Managed	No
FortiSwitch-80-PoE	8	0	2 Gbps	4 - 802.3af	62 W	2,000	N/A	N/A	N/A	Layer 2	Unmanaged	No
ENDPOINT SECURITY SOFTWARE												
PRODUCT	Personal Firewall	IPSec VPN	Antivirus & AntiSpyware	WAN Optimization	Intrusion Prevention	Email Antispam	FortiManager Management	Web Content Filtering	Address Book Protection	SMS Filtering & Antispam	Supported Platforms	
FortiClient - Windows	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Window 7, Vista, XP, 2000, Server 08, 03, 64 and 32 bit	
FortiMobile - Symbian	Yes	No	Yes	No	No	No	Yes	No	No	Yes	SymbianOS S60 7/8/9	
FortiMobile - WinMobile	No	Yes	Yes	No	No	No	Yes	No	Yes	Yes	Windows Mobile 2003/SE, 5, 6	
FORTIGUARD SECURITY SUBSCRIPTION SERVICES						INTEGRATED WIRELESS SECURITY AND ACCESS SOLUTIONS						
Product	AV	IPS	AS	WF	VM	AC	DB	AV = Antivirus IPS = Intrusion Prevention AS = Antispam WF = Web Filtering VM = Vulnerability Management (including Compliance Benchmarking) AC = Application control DB = Database Security				
FortiGate	Yes	Yes	Yes	Yes	Yes	Yes	No					
FortiAnalyzer	No	No	No	No	Yes	No	No					
FortiClient	Yes	No	Yes	Yes	No	Yes	No					
FortiDB	No	No	No	No	No	No	Yes					
FortiMail	Yes	No	Yes	No	No	No	No					
FortiScan	No	No	No	No	Yes	No	No					
Product	Freq - Radio 1	Freq - Radio 2	Ethernet Port	# of SSIDs	POE							
FortiAP-210B	802.11 b/g/n or a/n (Selectable)	-	1 x 10/100/100	7 - client, 1 - monitoring	Yes (802.3 af)							
FortiAP-220B	802.11 b/g/n or a/n (Selectable)	802.11 b/g/n	1 x 10/100/1000	14 - client, 2 - monitoring	Yes (802.3 af)							
FORTIGUARD ANALYSIS AND MANAGEMENT SERVICE												
FortiGuard Analysis and Management Service is licensed per device. All FortiGate systems are supported.												
Yearly Plan available	10 GB Storage Quota per license. Multiple licenses can be combined to increase storage.											

